


# QuickShifter easy Supplementary Manual

Suzuki GSX-S1000F 2015-2016 (iQSE-1 + QSX-P4B)

Remove the passanger and main seat.



Remove the side covers from the fuel tank.




Remove the covers from the top of the side fairings.



## Suzuki GSX-S1000F 2015-2016 (iQSE-1 + QSX-P4B)


Remove the cover from the front of the fuel tank.



Remove the ignition switch cover.



Remove the fuel tank.



# QuickShifter easy Supplementary Manual




Suzuki GSX-S1000F 2015-2016 (iQSE-1 + QSX-P4B)

Remove the airbox.



Plug the QSX connectors in-line with the ignition coil connectors.

*(Black, 2-pole connectors below the airbox)*



Mount the QSX module to the inner side of the frame by the supplied Velcro strips, and secure the cables with cable ties.


*(Avoid direct contact with heat sources, like the cylinder head.)*



# QuickShifter easy Supplementary Manual


Suzuki GSX-S1000F 2015-2016 (iQSE-1 + QSX-P4B)

Connect the QSX Black wire terminal to the chassis ground.



Mount the QSE sensor.

*(Replace the bolt with the one supplied. Place the supplied washers at both sides of the sensor. Tighten the bolt in this position by about 6 Nm. If you do not have torque wrench, tighten the bolt until the shift arm is tight on the gearbox shaft.)*



Typical position for the QuickShifter easy.

Secure the unit properly.

